INDEX.[1]

Page.

Abella americana..... 445
Acirsa menesthoides..... 474
Acordulecera hicoriae..... 157
Aenoplex carpocapsae..... 461
nigrosoma..... 460
plesiotypus..... 460
Allantus unicinctus..... 389
Alosa sapidissima..... 59
Alsophis angulifer..... 282
adspersus..... 283
Ambystoma nigrum..... 401
Amelva auberi..... 275
Amethyst, the color of, rose and blue varieties of quartz..... 553
Ammobia ichneumonea..... 240
pennsylvanica..... 240
Amphibians and reptiles, Cuban, collected for the United States National Museum from 1899 to 1902..... 259
Amphisbaena cubana..... 277
Ancistrocerus luciduS..... 235
sexcingulatus..... 235
sutterianus..... 235
tahoensis..... 235
Angitia millieri..... 159
tineavora..... 160
Anguilla bostonensis..... 59
Anodonites wymani..... 382
Anolis alutaceus..... 271
angusticeps..... 272
argenteolus..... 270
carolinensis..... 272
cristatellus..... 271
equestris..... 268
homolechis..... 268
loysiana..... 271
lucius..... 270
mestrei..... 272
porcatus..... 272
sagrei..... 270, 271
Anthophilus multimaculatus..... 244
pacificus..... 244
Anurophorus fimetarius..... 649
Apanteles diacrisiae..... 198
Aphelidoides plutela..... 447
Aphorura ambulans..... 644
arctica..... 644
cocklei..... 640
dentata..... 647
fimetaria..... 649
inermis..... 650
lutea..... 640
montis..... 640
octopunctata..... 647
Aporinellus californicus..... 240

Page.

Arrhyton fulvum..... 286
quenselii..... 288
redimitum..... 287, 288
taeniatum..... 286
vittatum..... 286, 287, 288
Astichus bimaculatipennis..... 449
Atractodes fusiformis..... 540
incompletus..... 541
mellipes..... 551
Bartsch, Paul. A monograph of West American Melanellid molluska..... 295
Bathythrix kuwanae..... 458
pimplae..... 458
tibialis..... 458
Batillipes caudatus..... 252, 253, 254
mirus..... 251, 253, 254
Bear-animalcule from the coast of North Carolina, a new species of..... 251
Beard, R. E., and Thomas L. Watson. The color of amethyst, rose, and blue varieties of quartz..... 553
Belepharipus ater..... 243
Bembix spinolae..... 249
Bird, passerine, fossil, from the Florissant of Colorado..... 453
Bird-louse found on three different species of troupials, an asymmetrical..... 231
Birds, generic names applied to, during 1906 to 1915, with additions and corrections to Waterhouse's "Index Generum Avium"..... 565
Boethus daeckei..... 162
howardi..... 162
schizoceri..... 162
Bonellia terebellata..... 348
Boreoscala condoni..... 473
pluricostata..... 473
Brevoortis tyrannus..... 59
Bufo longinasus..... 261
peltocephalus..... 261
Bulimus terebellatus..... 348
Cacicus microrhynchus..... 231
Cadea blanoides..... 277
Caenocryptus newcomeri..... 463
Calcite in silicified wood, a remarkable occurrence of..... 227
California, a report on a collection of hymenoptera (mostly from), made by W. M. Giffard..... 233
California Pliocene, a new species of crab from the..... 451
Cancer antennarius..... 452
orbanus..... 451
Caranx crysos..... 68
Cardiodectes bellottii..... 53, 55
medusaeus..... 51, 52

[1] A specially prepared index accompanies S. A. Rohwer and M. Fagan's paper on The type-species of the genera of the Cynipoidea or the gall wasps and parasitic Cynipoids (this volume, pp. 367-380) and therefore the titles in that paper are omitted from this index.

	Page.
Carpinus caroliniana	158
Cassicus cristatus	231
Catanoscala oregonensis	473
Celestus de la sagra	275
Cemonus giffardi	246
Ceratophorus tenax	246
Cercaris californica	244
finitima	244
Chaeretymma ashmeadii	465
minuta	465
Chalcid-flies, notes and descriptions of miscellaneous	445
Chamaeleolis chamaeleonides	267
Chellonecurus dactylopli	448
Chelonus phthorimaeae	199
Chemnitzia rangii	298, 337
Chlorion cyaneum	240
Chrysocharus mallochi	213
Chrysopophagus kansensis	447
Cirostrema funiculata	487
Cirrospilus ocellatus	446
Clypeaster gatuni	489, 491
lanceolatus	489, 490
Cockerell, T. D. A. Some fossil insects from Florissant, Colorado	389
Collipravus parvus	79
Colorado, fossil remains of what appears to be a passerine bird from the Florissant shales of	453
Some fossil insects from Florissant.	389
Coluber cursor	284
Conchoderma virgatum	18
Copepods, North American parasitic, belonging to the Lernaeidae, with a revision of the entire family	1
Coryphaena equisetus	68
Cosmophorus pityophthori	163
Costa Rica and Panama Canal Zone, fossil echini of	489
Crab, a new species, from the California Pliocene	451
Crabro imputus	242
latipes	243
largior	243
(Solenius) ferrugineipes	242
(subg?) nokonis	242
vicinus	243
Craterocerus californicus	234
Cremastini of America north of Mexico, a revision of the hymenopterous insects of the tribe	503
Cremastus aciculatus	548
(Cremastus) brevicauda	528
brevipetiolus	525
cookii	530
decoratus	528
epagoges	531
evetriae	530
facilis	527
ferrugineus	530
flaviceps	521
forbesii	532
gracilipes	520
gracilis	519
graciliventris	522
longigenalis	516
Cremastus (Cremastus) longiventris	517
minor	523
platynotae	526
ruficeps	518
tortricidis	528
decoratus	528
forbesii	532
fusiformis	540
graciliventris	549
granulatus	549
hartii	549
longicaudus	551
longigenalis	510
mellipes	551
nemoralis	550
piceus	551
Proclitus longicaudus	551
mellipes	551
royi	551
rectus	550
rostratus	510
royi	551
spectator	510
(Zaleptopygus) anomalus	542
bilineatus	545
cleridivorus	534
fuscipennis	543
galläecola	546
hyalinipennis	546
incompletus	540
mordellistenae	539
nigriclypealis	543
obereae	548
orbitalis	548
plesius	535
retiniae	537
rohweri	541
rosae	536
rostratus	532
similis	535
terebratus	539
tetralophae	537
viereckii	544
Crocodylus acutus	289, 290
rhombifer	289
Cryptus ferrugineus	158
koebelei	158
Microcryptus osculatus	457
Cuba, amphibians and reptiles collected from, for the United States National Museum from 1899 to 1902	259
Currie, Bertha P. Gomphus parvidens, a new species of dragonfly from Maryland	223
Cushman, R. A. A revision of hymenopterous insects of the tribe Cremastini of America north of Mexico	503
Eight new species of reared Ichneumon-flies, with notes on some other species	457
Cyclura cyclura	273
Cylindrosoma auriculatum	413
Cynipoidea, or the gall wasps and parasitic Cynipoids, the type-species of the genera of the	357

Page.

Cynipoids, parasitic, the type-species of the genera of the Cynipoidea, or the gall wasps and... 357
Cyprinus carassius... 3
Dall, William Healey. Notes on the shells of the genus Epitonium and its allies of the Pacific coast of America... 471
Dasymutilla aureola... 239
Degeeriella asymmetrica... 231
Deiroptyx vermiculata... 268
Dentiscala crenatoides... 473
crenimarginata... 473
insculpta... 473
neglecta... 473
Derostenus pallipes... 214
Desmognathus auriculatus... 412
brimleyorum... 393, 394, 414
fusca... 393, 394, 415
auriculata... 412
fusca... 407, 410
var. auriculata... 413
fuscus... 407
haldemanni... 415
monticola... 421
niger... 401
nigra... 393
ochrophaea carolinensis... 394, 417
ochrophaea... 415
quadrimaculata... 401, 403, 421, 422
Desmognathus salamanders of the genus... 393
Dienopus howardii... 248
Dioctria florissantina... 392
(?) pulveris... 392
Diospilus californicus... 164
neoclyti... 165
washingtonensis... 163
Diplectron bidentatus... 247
Diplodon, new species of South American fresh-water mussels of the genus. 381
charruanus... 383
felipponei... 381
fortis... 382
mimus... 383
peculiaris... 386
perplexus... 384
piceus... 385
rudus... 382
santa mariae... 386
semigranosus... 387
suppositus... 385
trivialis... 386
Dolichosalephus cockerelli... 508
Dragonfly from Maryland, Gomphus parvidens, a new species of... 223
Dromicus cursor... 284
fugitivus... 285
Dunn, Emmett R. The salamanders of the genera Desmognathus and Leurognathus... 393
Echini, fossil, of the Panama Canal Zone and Costa Rica... 439
Echinolampas semiorbis... 439, 498
Echiniscoides sigismundi... 251
Eleutherodactylus auriculatus... 262
cuneatus... 262
dimidiatus... 262
ricordii... 261
varians... 263

Page.

Emphytus mellipes, var. albolabris... 153
Encope annectans... 439, 491, 493, 494
grandis... 494
macrophora... 497, 498
megatrema... 439, 496
michelini... 498
micropora... 494
platytata... 439, 494, 495
tenuis... 495
Ephedrus nitidus... 195
Epicratus angulifer... 278, 279
striatus... 278, 279
Epitonium, shells of the genus, and its allies of the Pacific coast of America. 471
acapulcanum... 475
acrostephanus... 478
apiculatum... 480
appressicostatum... 482
arnoldi... 475
basicum... 484
berryi... 483
bialatum... 484
(Boreoscala) greenlandicum... 472
brunneopictum... 474
caamanoi... 482
californicum... 482
catalinae... 484
centronium... 480
(Cirsotrema) montereyense... 477
colpoicum... 478
columbianum... 481
columnella... 483
compradora... 480
cookeanum... 475
crebricostatum... 478
cylindricum... 480
densiclathratum... 478
diegense... 483
emydonesus... 476
eutaenium... 479
ferminianum... 474
habeli... 483
hemphilli... 472
hexagonum... 479
imbrex... 486
imperforatum... 476
indianorum... 477
lagunarum... 477
lineatum... 471
mazatlanicum... 474
mexicanum... 474
montereyense... 471
musidora... 483
onchodes... 476
orcuttianum... 484
pacis... 476
pazianum... 479
persuturum... 478
(Pictoscala) purpuratum... 477
pompholyx... 474
propehexagonum... 479
rectilaminatum... 482
regum... 484
retiporosum... 474
rhytidum... 486
roberti... 485
sawinae... 481
var. catalinense... 481

Page.

Epitonium, spongiosum ... 474
statuminatum ... 484
subcoronatum ... 478
tabogense ... 484
tabulatum ... 482
thylax ... 487
tiara ... 480
tinctum ... 477
xantusi ... 475
sephyrium ... 484
zeteki ... 486
Equus caballus ... 437, 439, 442
complicatus ... 439
francisci ... 439
hatcheri ... 437, 439
lambei ... 437, 441, 442, 443
Equus lambei, description of a new species of extinct horse, from the Pleistocene of Yukon Territory ... 435
laurentius ... 439
niobrarensis ... 437, 439
alaskae ... 439
scotti ... 439
Eriocampoides aethiops ... 390
castaneae ... 152
micrarche ... 390
mimus ... 390
Eubadizon schizoceri ... 162
Eucope parasitica ... 18, 19
Eulima acuta ... 296, 299, 347
adamantina ... 298, 299, 331
bipartita ... 297, 299
bistorta ... 300, 323
compacta ... 297, 299, 300, 314
(? var.) compacta ... 298
distorta ... 297, 330
elegantissima ... 298, 299, 346
elodia ... 298, 299
falcata ... 329
fuscostrigata ... 298, 343
gibba ... 298, 299, 332
hastata ... 296, 297, 298, 299, 317
imbricata ... 296, 351
interrupta ... 296, 349
iota ... 298, 299, 332
licans ... 299
(?) lomana ... 300, 337
lowei ... 300, 323
micans ... 297, 298, 300, 303
opalina ... 298, 299, 334
parva ... 298, 299
proca ... 298, 299
ptilocrinicola ... 300, 335
pusilla ... 296, 298, 317
randolphi ... 300, 312
rangii ... 299
recta ... 297, 299, 311
rutila ... 297, 298, 299, 300, 306
solitaria ... 308
splendidula ... 296, 348
thersites ... 297, 298, 299, 323
varians ... 296, 299, 345
Eulimella gabbiana ... 316
Eulimostraca galapagensis ... 333
Eulophus californicus ... 446
Eupteromalus tachinae ... 211

Page.

Eusandalum acmaeocerae ... 171
Eutelus bruchophagi ... 212
Fagan, Margaret M., and S. A. Rohwer. The type-species of the genera of the Cynipoidea, or the gall wasps and parasitic cynipoids ... 357
Felis leo massaica ... 177
nyanzae ... 183
roosevelti ... 186
Florissant, Colorado, some fossil insects from ... 389
Folsom, Justus W. North American Collembolous insects of the subfamily Onychiurinae ... 637
Fossil echini of the Panama Canal Zone and Costa Rica ... 489
Fossil insects from Florissant, Colorado ... 389
Fossil passerine bird from the Florissant of Colorado ... 453
Fundulus heteroclitus ... 59
Gahan, A. B. Descriptions of some new parasitic hymenoptera ... 195
Gall wasps and parasitic Cynipoids, the type-species of the genera of the Cynipoidea or the ... 357
Giffard, W. M. A report on a collection of hymenoptera made by ... 233
Girault, A. A. Notes and descriptions of miscellaneous Chalcid-flies (Hymenoptera) ... 445
Glypta evetriae ... 469
Gomphotherium elegans, description of a new species of mastodon from the Pleistocene of Kansas ... 219
Gomphotherium elegans ... 220
floridanum ... 220
humboldii ... 221
tropicum ... 220
Gomphus parvidens, a new species of dragonfly from Maryland ... 223
Gomphus abbreviatus ... 225, 226
brevis ... 225, 226
viridifrons ... 225, 226
Gonatocerus utahensis ... 446
Gonatodes albogularis ... 264, 265
fuscus ... 264, 265
notatus ... 264, 265
vittatus ... 264, 265
Gymnodactylus maculatus ... 264
Gyrinophilus danielsi ... 422
Haemobaphes cyclopterina ... 96
diceraus ... 98
enodis ... 97
Haemobaphoides ambiguus ... 101
Halechiniscus guiteli ... 251
Haliella abyssicola ... 336
chilensis ... 336
lomana ... 337
Hay, Oliver P. Description of a new species of extinct horse, Equus lambei, from the Pleistocene of Yukon territory ... 435
Description of a new species of mastodon, Gomphotherium elegans, from the Pleistocene of Kansas ... 219
Hay, W. P. A new species of bear-animalcule from the coast of North Carolina ... 251

Page.

Hemidactylus mabouia... 267
Hessian fly, a new American parasite of the, (Mayetiola destructor Say)... 255
Hollister, N. Some effects of environment and habit on captive lions... 177
Hoplisus atrifrons... 248
hamtus... 248
Horse, extinct, Equus lambei, description of a new species of, from the Pleistocene of Yukon territory... 435
Hyla septentrionalis... 263
Hymenoptera, descriptions of thirty-one new species of... 151
descriptions of some new parasitic... 195
the Giffard collection of, mostly from California... 233
Ichneumon-flies, new species of reared... 457
Inocella tumulata... 391
Insects, Collembolous, of the subfamily Onychiurinae... 637
Insects, fossil, from Florissant, Colorado... 389
Insects, hymenopterous, of the tribe Cremastini of America, north of Mexico, a revision of... 503
Ischnura posita... 223
Isodyctium subgregarium... 154
Itopiectis alternans... 469
behrensi... 469
obesus... 467
Jackson, Robert Tracy. Fossil echini of the Panama Canal Zone and Costa Rica... 489
Kansas, description of a new species of mastodon, Gomphotherium elegans, from the Pleistocene of... 219
Lambertia cookeana... 354
Larropsis greenei... 173
tenuicornis... 244
Laspeyresia toruta... 161
Leimadophis andreae... 283
andreae... 285
nebulatus... 285
nebulatus... 283, 284
Leiocephalus carinatus... 273
cubensis... 273, 274
loxogrammus... 274
macropus... 274
ravicops... 274
Leiostraca acuta... 298, 347
? distorta, var. yod... 297
involuta... 297
iota... 330
var. retexta... 297, 317
linearis... 297, 310
producta... 297, 318
recta... 297, 298
retexta... 317
solitaria... 297, 318
varians... 298, 345
yod... 330
Leiostomus xanthurus... 59
Leptopygus harpurus... 510
orbus... 510
Leptotrachelus truchae... 41

Page.

Lernaea barnimil... 25
basteri... 39
branchialis... 5, 19, 85
cirrhosa... 119
clavata... 46
cruciata... 19
diodontis... 113
exocoeti... 111
gadina... 85
gadus-minutus... 40
haplocephala... 19
lotae... 40
multicornis... 40
radiata... 59
salmonis... 5
uncinata... 5
Lernaeenicus affixus... 11, 64
longiventris... 66
medusaeus... 51
polyceraus... 62
procerus... 69
radiatus... 21, 51, 57, 59
sardinae... 8
sprattae... 22
Lernaeidae, North American parasitic copepods belonging to the... 1
Lernaeocera branchialis... 2, 9, 85
cyclopterina... 95
radiata... 59
Lernaeoceropsis septemramosus... 59
Lernaeolophus sultanus... 91
Lernaeopenna blainvillii... 110, 115
brachiata... 111, 113
holteni... 111, 115
sagitta... 113
Lernea asellina... 3
cauda duplici teretl... 3
cyclopterina... 4
cyprinacea... 3, 4
tentaculis quatuor... 3
Lerneonema procera... 19
radiata... 59
Leurognathus marmorata... 394, 420, 422
salamanders of the genus... 393
Lindenius columbianus... 241
Liodontomerus insuetus... 208
perplexus... 208
secundus... 208
Lions, effects of environment and habit on captive... 177
Lipeurus asymmetricus... 231
quadrimaculatus... 231
Lipura ambulans... 644
arctica... 644
armata... 644
fimetaria... 649, 650
inermis... 649
octo-punctata... 647
Macrobiotus appelloti... 251
stenostomus... 251
Macroneura consobrinus... 166
urichii... 166
Macrophya castanea... 151
Marshall, William B. New and little-known species of South American fresh-water mussels of the genus Diplodon... 381

Page.

Maryland, Gomphus parvidens, a new species of dragonfly from ... 223
Mastodon, description of a new species, Gomphotherium elegans, from the Pleistocene of Kansas ... 219
Mayetiola destructor Say, a new American parasite of the Hessian fly ... 255
Melanella (Balcis) adamantina ... 331
arnoldi ... 322
berryi ... 326
catalinensis ... 329
columbiana ... 324
comoxensis ... 325
cosmia ... 322
draconis ... 319
falcata ... 329
gibba ... 332
grippi ... 327
halia ... 322
iota ... 332
lastra ... 321
macra ... 326
montereyensis ... 320
peninsularis ... 320
prefalcata ... 327
taravali ... 328
thersites ... 323
townsendi ... 323
yod ... 330
bistorta ... 323
columbiana ... 326
compacta ... 315
lowei ... 323
(Melanella) abreojosensis ... 315
baldra ... 314
californica ... 313
compacta ... 314
dalli ... 302
elodia ... 318
gabbiana ... 316
hastata ... 317
hemphilli ... 313
linearis ... 310
mexicana ... 315
micans ... 303
borealis ... 305
monicensis ... 309
necropolitana ... 309
ochsneri ... 305
oldroydi ... 309
panamensis ... 311
producta ... 318
pusilla ... 317
randolphi ... 312
recta ... 311
retexta ... 317
rutila ... 306
solitaria ... 308
tacomaensis ... 316
micans ... 305
peninsularis ... 321
Melanellidae, a monograph of West American mollusks of the family ... 295
Meleborus laspeyresiae ... 161
Mellita sexiesperforata ... 493
Mesoleptus incompletus ... 540
Metrobates aeternalis ... 391
Microbracon sanninoideae ... 196
Microgadus tomcod ... 59
Microgaster epagoges ... 197
Microlyda dujardini ... 251
Mollusks, Melanellid, a monograph of West American ... 295
Mucronalia (?) bathymetrae ... 353
Mugil cephalus ... 68
Mussels, fresh-water, new, of the genus Diplodon ... 381
Myers, P. R. An American species of the hymenopterous genus Wesmaelia of Foerster ... 293
A new American parasite of the Hessian fly (Mayetiola destructor Say) ... 255
Neoclytus caprae ... 165
Neocremastus stigmaterus ... 509
Neopius carinaticeps ... 203, 204
Nepiera benevola, var. fuscifemora ... 208
Nirmus francisci ... 231
Niso (?) antiselli ... 351
eburnea ... 348
excolpa ... 348
hipolitensis ... 350
imbricata ... 298, 299, 351
interrupta ... 298, 299, 349
lomana ... 350
splendidula ... 298, 299, 348
Norops ophiolepis ... 273
North Carolina, a new species of bear-animalcule from the coast of ... 251
Notanisomorpha meromyzae ... 216
Nysson (Brachystegus) pacificus ... 249
(Hyponysson) raui ... 176
rusticus ... 248
Obelia geniculata ... 19
Odontaspis littoralis ... 19
Odontobracon californicus ... 169
elaphidiovorus ... 168
oemeovorus ... 167
Odontomerus strangaliae ... 158
Odostomia (Scalenostoma) babylonia ... 300, 335
rangii ... 300, 337
Odynerus blandinus ... 236
eldoradensis ... 238
giffardi ... 237
robustus ... 238
truncatus ... 236
Onychiurinae, North American Collembolous insects of the subfamily ... 637
Onychiurus arcticus ... 645
armatus ... 637, 643, 644, 645
var. arctica ... 644
cocklei ... 637, 640
collis ... 637
dentatus ... 637, 647
fimetarius ... 637, 649
inermis ... 649
litoreus ... 637, 644
octopunctatus ... 637, 647
pseudarmatus ... 637
pseudofimetarius ... 637, 650
ramosus ... 637, 648
similis ... 637, 640
subtenuis ... 637, 642, 643

	Page.
Opalia anomala	472
rugifera	473
varicicostata	473
varicostata	473
wroblewskii	472
Opius coriaceus	201
otiosus	202
pegomyiae	201
Orthagoriscus mola	19
Osmerus mordax	59
Ostinops decumanus	231
Oxybelus quadrinotatus	241
Paine, John Howard. An asymmetrical bird-louse found on three different species of troupials	231
Paleotaxonus trivittatus	390
vetus	390
Palmodes laeviventris	240
Panama Canal Zone and Costa Rica, fossil echini of the	489
Parasite of the Hessian fly (Mayetiola destructor Say), a new American	255
Pediculus salmonis	4
Pemphredon nearcticus	246
Penella antarctica	116
costal	111
exocoeti	115
filosa	119
lionvillei	116
plumosa	111
remorae	111
Penellus blainvillii	115
sultana	91
Peniculisa furcata	45
Peniculus clavatus	46
fissipes	47
fistula	44
Pennatula bocconii	110, 113
filosa	119, 121
sagitta	113
Pennella antarctica	116
anthonyi	110
cettei	110
diodontis	110, 111, 113
exocoeti	108, 115
filosa	110, 119, 121
gracilis	111
instructa	122
intricata	111
lionvillei	116
orthagoriaci	124
rubra	112, 119
sagitta	107, 109, 113
sultana	112
Pepsis formosa	239
Pericista californica	154
diluta	154
hicoriae	154
mutabilis	154
similaris	155
xanthognatha	156
Peridroma margaritosa	207
Peroderma bellotti	51
cylindricum	50
Phadroctonus argyresthiae	162
Phanerotoma erythrocephala	166
frankini	200
tibialis	200
Phasgonophora sulcata	171
Philopterus ambiguus	231
Phrixocephalus cincinnatus	75
diversus	77
triangulus	76
Platygaster minutus	255
zosine	255
Plecia decapitata	391
Plethodon auriculatum	413
fuscum	407
niger	407
Pleurotropis (Entedon) epigonus	255
Podogaster radiolata	508
Podura fimetaria	649
Polygnotus burkei	170
hiemalis	256
(Platygaster) minutus	255
vernalis	256
Polymecus lasiopterae	217
Polypterus senegalis	19
Pumatomus saltatrix	59
Pomolobus aestivalis	59
pseudoharengus	60
Porizon albipennis	543
delicatus	537
facilis	527
fuscipennis	543
hyalinipennis	546
macer	527
orbitalis	510, 548
stigmaterus	509
viereckii	544
(Zaleptopygus) orbitalis	548
Pristaulacus flavicrurus	157
strangaliae	157
Procilitus grandis	551
Psammochares aethiops	239
luctuosus	239
Psammophila luctuosa	241
violaceipennis	241
Pseudagenia metallica	239
Pseudemys palustris	291
Pseuderipternus brevicauda	506
gracilipes	507
radiolatus	508
Pseudomasaris albifrons	234
Pterochilus morrisoni	239
Pteromalus hemileucae	210
Pyracmon conocola	159
Quartz, colored varieties of	553
Rathbun, Mary J. Description of a new species of crab from the California Pliocene	451
Reptiles and amphibians, Cuban, collected for the United States National Museum from 1899 to 1902	259
Richmond, Charles W. Generic names applied to birds during the years 1906 to 1915, inclusive, with additions and corrections to Waterhouse's "Index Generum Avium"	565
Rogas perplexus	205
politiceps	206
rufocoxalis	207
Rohwer, S. A. A report on a collection of hymenoptera (mostly from California) made by W. M. Giffard	223

Page.

Rohwer, S. A. Descriptions of thirty-one new species of hymenoptera 151
and Margaret M. Fagan. The type-species of the genera of the Cynipoidea, or the gall wasps and parasitic Cynipoids 357
Sabinella bakeri 334
chathamensis 333
meridionalis 335
opalina 334
ptilocrinicola 335
Salamanders of the genera Desmognathus and Leurognathus 393
Salamandra auriculata 412
fusca 393
intermixta 407
maculato-quadrata 401
nigra 404
quadrimaculata 401
Sarcotretes cristaliformis 72
lobatus 72
scopeli 70
Scalaria aciculina 487
bellastriata 475
borealis 472, 474
costulata 488
crassilabris 487
cumingi 488
diadema 488
elenensis 488
eschrichtii 474
gracilis 487
indistincta 487
mitraeformis 487
obtusa 488
polita 488
principalis 488
raricostata 488
reflexa 488
regularis 488
staturninata 488
suprastriata 488
vulpina 487
Scalenostoma babylonia 338
rangii 337
Scambus ephialtoides 466
Sceliphron servillii 241
Schisturus cyclopterinus 95
Schizaster armiger 490, 498
cristatus 490, 499
panamensis 490, 500
Scopelus glacialis 55
Selandria (Monophadnus) diluta 154
Sequoia magnifica 227
Shells of the genus Epitonium and its allies of the Pacific coast of America 471
Shufeldt, R. W. Fossil remains of what appears to be a passerine bird from the Florissant shales of Colorado 453
Silson affinis 247
major 247
Solenius (Hypocrabro) giffardi 242
imbutus 242
nokonis 242
septentrionalis 243

Page.

Spelerpes maculicaudus 410
Sphaerodactylus cinereus 266
elegans 266
notatus 267
Sphecius speciosus 249
Sphex saeva 241
vulgaris 241
Spilocryptus polychrosidis 461
Stejneger, Leonhard. Cuban amphibians and reptiles collected for the United States National Museum from 1899 to 1902 259
Steniola duplicata 249
Sthenorytis turbinum 477
Stigmus fulvipes coquilletti 247
fulvipes 247
Stilifer astericola 352
astericolus 296
(Mucronalia) bathymetrae 300, 353
thomasiae 353
Strombiformis acuta 347
alaskensis 339
almo 342
(Balcis) bipartita 331
barthelowi 344
burragei 345
californica 340
elegantissima 346
fuscostrigata 343
hemphilli 344
lapazana 341
panamensis 343
proca 346
riversi 339
townsendi 340
varians 345
Strongylogaster pacifica 233
Stylifer astericola 299
astericolus 299
Sympiesus substigmatus 447
Synapta inhaerens 251
Synomorphus debilis 234
Systellogaster ovivora 209
Tachysphex eldoradensis 245
giffardi 244
plesia 245
terminatus 244
washingtoni 172
Tarentola cubana 266
Temelucha plutellae 528
Tenthredella avia 389
birmensis 151
oblita 389
saxorum 389
variata 233
Tenthredo gribodoi 151
Tetrakentron synaptae 251
Tetrastichus ainsliei 214
dolosus 215
euplectri 215
Therodamas serrani 41
Thripoctenus americensis 448
Tretanorhinus variabilis 282
Trichogramma retorridum 447
Trifur tortuosus 102
Trigonura californica 171
Triton niger 401, 407

	Page.
Triturus fuscus	393, 407
Tropidophis bucculenta	279
haetianus	280
maculata	279
maculatus	281
melanura	279
moreletii	281
pardalis	280
semicinctus	281
Tropidurus (Leiolaemus) cubensis	273
Troupials, an asymmetrical bird-louse found on three different species of	231
Trydymus aphidis	450
aureipes	449
biguttatipennis	
Trypoxylon arisonense	246
frigidum	246
Tullbergia bielanensis	653
collis	652
Tumidiscapus oophagus	445
Turbo scalaris	471
Urophycis tenuis	59
Volusia imbricata	348
Watson, Thomas L., and Beard, R. E. The color of amethyst, rose, and blue varieties of quartz	553
Wesmaelia of Foerster, an American species of the hymenopterous genus	293
Wesmaelia americana	293
cremasta	293
Wherry, Edgar T. A remarkable occurrence of calcite in silicified wood	227
Wilson, Charles Branch. North American parasitic copepods belonging to the Lernaeidae, with a revision of the entire family	1
Xiphosurus homolechis	268
Xylocelia beulahensis	174
metathoracicus	175
nickel	175
virginiana	175
Xylocopa orpifex	249
Yukon territory, description of a new species of extinct horse, Equus lambei, from the Pleistocene of	435
Zaleptopygus oberese	548
Zarynchus wagleri	231

OCT 8 1918